REFERENCES

- Agarkar SV, Jadge DR, (1999) Phytochemical and Pharmacological investigations of Genus *Cassia* –A Review. Asian J. of Chem.11 (2), pp.295-299.
- Agrawal SS, Paridhavi M (2007), Herbal drug technologh, Ist ed., Universities Press IIndia) Pvt Ltd, Hyderabad, pp.
- Akkol,EK, Koka U , Pesin I , Yilmezer D , Toker G , Yesilada E (2009), Exploring the wound healing activity of *Arnebia densiflora* (Nordm.) Ledeb. By in vivo models , J. of Ethnopharmacology,124, pp. 137-141.
- Bairy, KL (2002),Wound healing potential of plant product, J. of natural remedies, vol 2/1, pp 11-20.
- Balekar N, Katkam NG, Nakpheng T, Jehtae K (2012), Evaluation of the Wound healing potential of *Wedelia trilobata* (L.) leaves , J. of Ethnopharmacology,141 (3), pp. 817-824.
- Barua CC, Talukdar A, Begum SA, Sarma DK, Fathak DC, Barua AG, Bora RS (2009), Wound healing activity of methanolic extract of leaves of *Alternanthera brasiliana* Kuntz using in vivo and in vitro model, Indian J. of Exp. Biol.,47(12),1001-5
- Bhakta T, Mukherjee PK, Mukerjee K , Pal M, Saha BP, (1998),Studies on in vivo wound healing activity of *C. Fistula* Linn. Leaves (Leguminaceae) in rats , Nat. Prod. Sci , 4 (2), pp. 84-87.
- Bhakta T, Mukherjee PK, Saha K, Pal M, Saha BP (1998), Hypoglycaemic activity of *C. Fistula* Linn. (Leguminaceae) leaf (Methanolic extract) in alloxane induced diabetic rats ,Ethnobotany, 9, pp. 35-38.
- Chaudhari, M., Mengi, S., 2006. Evaluation of phytoconstituents of *Terminalia arjuna* for wound healing activity in rats. Phytotherapy Research., 20(9), pp. 799-805.
- Cotran RS, Kuma V (1991), Pathologic basis of Disease, 6th edition, Harcourt India Pvt. Ltd., New Delhi, pp. 107-111.
- Danish M, Singh P, Mishra G, Srivastava S, Jha KK , Khosa , (2011), *Cassia fistula* Linn. (Amulthus) – An Important Medicinal plant : A Review of its Traditional Uses,

Phytochemistry and Pharmacological Properties, J. Nat. Prod. Resour., 1(1), pp.101-118.

- Duraipandiyan V, Ignacimuthu S (2007), Antibacterial and antifungal activity of *Cassia fistula* L.: An ethnomedicinal plant, J.of Ethnopharmacology, 112, pp. 590-594
- Gobianand K, Vivekanandan P, Pradeep K, Mohan CVR, Karthikeyan S (2010),Anti-inflammatory and Antipyretic activities of Indian Medicinal Plants *Cassia fistula* Linn. (Golden Shower) in Wistar albino Rats, International journal of Pharmacology, 6(5), pp. 719-725.
- Hayouni, EA, MIled K, Boubakar S, Bellasfar Z, Abedrabba M, Iwaski H, Oku H (2011), Hydroalcoholic extract based ointment from *Punica granatum* L. peels with enhanced in vivo healing potential on dermal wounds. Phytomedicine, 18 (11), pp. 976-984
- Jafri MA, Subhani MJ, Javed K, Singh S (1999), Hepatoprotective activity of leaves of *Cassia occidentalis* against paracetamol and ethyl alcohol intoxication in rats, Journal of Ethnopharmacology, 66 (3), pp. 355-361.
- Jain S, Patil PK (2010) Phytochemical and pharmacological profile of *Cassia tora* Linn.- An overview, Ind. J. of Nat. Product and Resources, 1(4),pp. 430-437.
- Jalalpur SS, Patil MB, K.R. Alagawadi KR,(2002) , wound healing activity of the galls of Quercus *infectoria* Olivier, J. of natural remedies, vol 2/1, pp 54-58.
- Jaswanth A, Loganathan V, Manimaran S (2001), Wound healing activity of *Aegle* marmelos , Ind. J. of Pharm. Sci., 63 (1),pp. 41-44.
- Joshi Manohar S, Jafar R, (1993), Marginal trichomes - A diagnostic character in the identification of some medicinal species of genus *Cassia* Linn. Medicinal plants: New vistas of Research, 11 (2), pp.481-485.
- Khan SA, Khan JZ, Ansari MM, Ahamed J, Ansari SH, (2003), Traditional wound healing plant drugs, The Pharma Review, 2(7), pp. 57-63.
- Kokane DD, More RY, Kale MB, Nehete MN, Mehendale PC, Gadgoli CH, (2009) Evaluation of wound healing activity of roots of *Mimosa pudica* , J. of Ethnopharmacology, 124, pp. 311-315.

- Kumar B , Vijaykumar M, Govindaranjan R, Pushpangadan P (2007), ,Ethnopharmacological approaches to wound healing- exploring medicinal plants of India, J. of Ethnopharmacology, vol 114(2), pp103-113.
- Mandawgade, SD, Patil, KS (2003), Wound healing potential of some active principles of *Lawsonia alba* Lam. Leaves, Ind. J. of Pharm. Sci., 65(4), pp. 390-394.
- Manjunatha B.K, Vidya SM, Krishna V, Mankani KL, Singh SD, Manohara YN, 2007. Comparative evaluation of wound healing potency of *Vitex trifolia* L. and *Vitex altissima* L Phytotherapy Research, 21(5), pp. 457-61.
- Murti K , Kumar U (2012), Enhancement of wound healing with roots of Ficus racemosa L. in albino rats, Asian Pacific J. Of Tropical Biomedicine, 2(4), pp. 276-280.
- Nayak, B.S., Mohan, K., 2007. Influence of ethanolic extract of JasmAinum *grandiflorum* linn flower on wound healing activity in rats. Indian J Physiol. Pharmacol., 51(2), pp.189-94.
- Patil UK, Saraf S, Dixit VK (2004), Hypolipidemic activity of seeds of *Cassia tora* Linn, J. of Ethnopharmacology, 90 (2-3), pp. 249-252.
- Pawar HA, D'mello PM, (2011),*Cassia tora* Linn.: An overview, International J. of Pharm. Sci. And Res., 2 (9), pp.2286-2291.
- Rejiya CS, Cibin TR, Abrahm A (2009), Leaves of *Cassia tora* as a novel cancer therapeutic- an in vitro study, Toxicology in Vitro,23,pp. 1034-1038
- Saha K, Mukherjee Pulok K, Das J, Pal M , Saha BP (1997), Wound healing activity of *Leucas lavandulaefolia* Rees , J. of Ethnopharmacolog , 56, pp 139-144
- Satnam L, Pawar RS , Jain AP, Singhai AK (2006), Wound healing potential of *Tephrosia purpurea* (Linn.) Pers in rats , J. of Ethnopharmacology ,108,pp 204-210.
- Sharma S, Dangi MS, Wadhwa S, Daniel V, Tiwari A (2010), Antibacterial Activity of *Cassia tora* Leaves, International Journal of Pharmaceutical & Biological Archives; 1(1), pp. 84 – 86

- Sheeba M, Emmanuel S, Revathi K, Ignacimuthu S, (2009)Wound healing activity of *Cassia occidentalis* L. In albino Wistar rats, International Journal of Integrative Biology,9 (1), pp.1-6.
- Shivkumar H,Prakash T, Rao RN, Jayakumar swamy BHM, Nagappa AN,(2007), Wound healing activity of the leaves of *Thespesi populnea,* J. of natural remedies,7/1,pp120-124.
- Sidduraju P, Mohan PS, Becker K, (2002),Studies on antioxidant activity of Indian Laburnum (*Cassia fistula* L.) : a preliminary assessment of crude extracts from stem bark , leaves, flowers and fruit pulp, Food Chemistry,79, pp. 61-67.
- Singh S, Singh K, (1992), Effect of *Cassia* fistula Linn. Flower extract on female reproductive organs of albino rats, J. of Research and Education in Indian Medicine, 11 (4), pp. 7-11.
- Singhal M, Kansara N (2012), *Cassia tora* Linn. Cream inhibits Ultraviolet -B – Induced psoriasis in rats, ISRN Dermatology, vol 2012, Atrticle ID 346510, pp 1-6.
- Sini KR, Sinha BN, Karpakavalli M, Sangeetha PT (2011), Analgesic and antipyretic activity of C*assia occidentalis* Linn., Annals of Biological Research, 2 (1), pp. 195-200.
- Udupa SL,Shetty S, Udupa AL,Somayaji SN (2006), Effect of Ocimum sanctum Linn. On normal and dexamethasone suppressed wound healing, Ind. J. Experimental Biology, 44, pp.49-54.
- Verma L., Singour PK, Chaurasiya PK, Rajak H, Pawar RS, Patil UK (2010), Effect of ethanolic extract of *Cassia occidentalis* Linn. for the management of alloxan-induced diabetic rats , Pharmacognosy research ,2 (3), pp. 132-137.
- Yadav JP, Arya V, Yadav S, PanghalM, Kumar S, Dhankar S (2010), *Cassia Occidentalis* L.: A review on its ethnobotany, phytochemical and pharmacological profile, Fitoterapia, 81(4), pp.223-230.